Detroit Surface care – ACAM B.V.	Revision nr. 5
	Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
	Page n. 1/13
	Replaced revision:4 (Dated: 08/06/2017)

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:

Product name Nitro Degreaser

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Not available

1.3. Details of the supplier of the safety data sheet

Name ACAM B.V.
Full address District and Country ACAM B.V.
5482VR Schijndel

NL

Tel. (+31) 857 325 754

e-mail address of the competent person

responsible for the Safety Data Sheet fvboxmeer@profclean.eu

1.4. Emergency telephone number

For urgent inquiries refer to Tel. (+31) 857 325 754

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B H314 Causes severe skin burns and eye damage. Serious eye damage, category 1 H318 Causes serious eye damage.

Specific target organ toxicity - single exposure, category 3 H335 May cause respiratory irritation.

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects.

category 3

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Detroit Surface care - ACAM B.V.

Nitro Degreaser

Revision nr. 5

Dated 05/06/2019

Printed on 03/10/2019

Page n. 2/13

Replaced revision:4 (Dated: 08/06/2017)





Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor / . . .

P310 Immediately call a POISON CENTE P264 Wash . . . thoroughly after handling.

Contains: SODIUM METASILICATE

Natriumdodecylbenzeensulfonaat

PENTABASIC SODIUM TRIPHOSPHATE ISOTRIDECANOL, ETHOXYLATED

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

 ${\bf Natrium dode cylbenzeen sulfon a at}$

CAS 25155-30-0 5 ≤ x < 9 Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC

INDEX -

SODIUM METASILICATE

CAS 10213-79-3 $5 \le x < 9$ Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335

EC 229-912-9

PENTABASIC SODIUM TRIPHOSPHATE

Detroit Surface care – ACAM B.V. Revision nr. 5 Dated 05/06/2019 Printed on 03/10/2019 Page n. 3/13 Replaced revision:4 (Dated: 08/06/2017)

CAS 7758-29-4 1 ≤ x < 5 Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335

EC 231-838-7

INDEX -

ISOTRIDECANOL, ETHOXYLATED

CAS 69011-36-5 1 ≤ x < 3 Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC 500-241-6

INDEX -

Fatty acid diethanolamide

CAS 68603-42-9 1 ≤ x < 2,5 Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 2 H411

EC 271-657-0

INDEX -

CAS 57-13-6 1≤x < 5

EC 200-315-5 INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

Detroit Surface care – ACAM B.V.	Revision nr. 5
	Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
	Page n. 4/13
	Replaced revision:4 (Dated: 08/06/2017)

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Detroit Surface care – ACAM B.V.	Revision nr. 5
	Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
	Page n. 5/13
	Replaced revision:4 (Dated: 08/06/2017)

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid Colour yellow Odour typical Odour threshold Not available Not available Melting point / freezing point Not available Initial boiling point 100 °C Boiling range Not available Flash point Not available

Detroit Surface care – ACAM B.V. Revision nr. 5 Dated 05/06/2019 Printed on 03/10/2019 Page n. 6/13 Replaced revision:4 (Dated: 08/06/2017)

Not available **Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Not available Vapour density Relative density Not available Solubility soluble Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Not available Viscosity Not available Explosive properties Oxidising properties Not available

9.2. Other information

VOC (Directive 2010/75/EC) : 0
VOC (volatile carbon) : 0

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

SODIUM METASILICATE

The aqueous solutions act as: strong bases.Corrodes: aluminium,zinc,tin,aluminium alloys,zinc alloys,tin alloys.

UREA

Decomposes at temperatures above 133°C/271°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

SODIUM METASILICATE

Reacts violently with: acids.

Detroit Surface care – ACAM B.V. Revision nr. 5 Dated 05/06/2019 Printed on 03/10/2019 Page n. 7/13 Replaced revision:4 (Dated: 08/06/2017)

UREA

Risk of explosion on contact with: calcium hypochlorite, chlorine, sodium hypochlorite, sodium nitrite, phosphorus pentachlorite. May react dangerously with: alkalis, chromyl chloride, gallium perchlorate, nitrosyl perchlorate, oxidising agents, titanium tetrachloride.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

UREA

May develop: biuret,ammonia,nitric oxide,isocyanic acid.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

Detroit Surface care – ACAM B.V. Revision nr. 5 Dated 05/06/2019 Printed on 03/10/2019 Page n. 8/13 Replaced revision:4 (Dated: 08/06/2017)

LD50 (Oral) of the mixture: >2000 mg/kg LD50 (Dermal) of the mixture: Not classified (no significant component)

UREA

LD50 (Oral) 8200 mg/kg Rat

LD50 (Dermal) 8200 mg/kg Rat

ISOTRIDECANOL, ETHOXYLATED

LD50 (Oral) > 2000 mg/kg Rat - Wistar

LD50 (Dermal) 5960 mg/kg Rabbit - New Zeland white

LC50 (Inhalation) > 1,6 mg/l Rat - Sprague-Dawley

SKIN CORROSION / IRRITATION

Corrosive for the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Detroit Surface care – ACAM B.V.	Revision nr. 5
	Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
	Page n. 9/13
	Replaced revision:4 (Dated: 08/06/2017)

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity**

ISOTRIDECANOL, ETHOXYLATED

LC50 - for Fish 2,5 mg/l/96h Danio rerio
EC50 - for Crustacea 1,5 mg/l/48h Daphnia magna

12.2. Persistence and degradability

UREA

Solubility in water > 10000 mg/l

Rapidly degradable

ISOTRIDECANOL, ETHOXYLATED

Solubility in water 20 mg/l

Rapidly degradable

PENTABASIC SODIUM TRIPHOSPHATE

Solubility in water > 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

UREA

Partition coefficient: n-octanol/water -1,73

ISOTRIDECANOL, ETHOXYLATED

Partition coefficient: n-octanol/water 6,4

12.4. Mobility in soil

ISOTRIDECANOL, ETHOXYLATED

Partition coefficient: soil/water 2,645

PENTABASIC SODIUM TRIPHOSPHATE

Partition coefficient: soil/water 2,15

12.5. Results of PBT and vPvB assessment

Detroit Surface care – ACAM B.V.	Revision nr. 5
	Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
	Page n. 10/13 Replaced revision:4 (Dated: 08/06/2017)
	,

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

14.5. Environmental hazards

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADF	t) and by Rail (RID), of
the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.	

SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number
Not applicable
14.2. UN proper shipping name
Not applicable
14.3. Transport hazard class(es)
Not applicable
14.4. Packing group
Not applicable

Detroit Surface care – ACAM B.V.	Revision nr. 5 Dated 05/06/2019
Nitro Degreaser	Printed on 03/10/2019
Millo Degreaser	Page n. 11/13
	Replaced revision:4 (Dated: 08/06/2017)
Not applicable	
14.6. Special precautions for user	
Not applicable	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	
information not relevant	
inomation not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EC: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point 3	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
Subject to authorisation (Annex XIV NEADT)	
None	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	
Substances subject to the Dettendant Convertion.	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	
None	
Healthcare controls	
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment da workers' health and safety are modest and that the 98/24/EC directive is respected.	ata prove that the risks related to the
workers meantraine salety are modest and that the 30/24/20 difective is respected.	

Detroit Surface care – ACAM B.V. Revision nr. 5 Dated 05/06/2019 Printed on 03/10/2019 Page n. 12/13 Replaced revision:4 (Dated: 08/06/2017)

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2

Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- · CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

Revision nr. 5 Detroit Surface care - ACAM B.V. Dated 05/06/2019 Printed on 03/10/2019 Nitro Degreaser Page n. 13/13 Replaced revision:4 (Dated: 08/06/2017)

- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control: therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 06 / 07 / 08 / 10 / 11 / 12 / 13.